

SAFETY DATA SHEET

1. Identification

Product identifier DPD Powder

Other means of identification

Product code R-0870

Recommended use Use as directed by manufacturer for purposes directly related to water testing.

Recommended restrictions None known

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Taylor Technologies, Inc.

Address 31 Loveton Circle

Sparks, MD 21152

United States

Telephone (410) 472-4340 Monday-Friday, 8:00 a.m.-4:30 p.m.

Website www.taylortechnologies.com

E-mail Not available **Emergency phone number** (800) 837-8548

Supplier Refer to Manufacturer

2. Hazard(s) identification

Physical hazards This mixture does not meet the classification criteria according to OSHA HazCom 2012.

Health hazards Acute toxicity, inhalation Category 4

Environmental hazards Not currently regulated by OSHA. For additional information, refer to section 12 of the SDS. **OSHA** defined hazards This mixture does not meet the classification criteria according to OSHA HazCom 2012.

Label elements

Signal word Warning

Hazard statement Harmful if inhaled

Precautionary statement

Prevention Avoid breathing dust. Use only outdoors or in a well-ventilated area.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a Response

physician or poison control center if you feel unwell.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international

regulations.

(HNOC)

Hazard(s) not otherwise classified Product dust may be irritating to eyes, skin, and respiratory system. Ingestion may cause

gastrointestinal irritation, nausea, vomiting, and diarrhea.

Supplemental information None

Material name: DPD Powder; R-0870

3. Composition/information on ingredients **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Potassium phosphate, monobasic	Potassium dihydrogen phosphate; MKP	7778-77-0	60–65
Disodium phosphate	Disodium hydrogenorthophosphate; Sodium phosphate, dibasic	7558-79-4	30–35
Disodium dihydrate EDTA	Disodium ethylenediamine tetraacetate; Ethylenediaminetetraacetic acid sodium salt	6381-92-6	0.1–5
N,N-diethylbenzene-1,4- diammonium sulfate	N,N-diethyl-p-phenylenediamine sulfate	6283-63-2	0.1–5
Trade secret			0.1–5
Trade secret			0.1–5
Other components below reportable levels			0.1–5

4. First-aid measures

Inhalation Move to fresh air. Give oxygen or artificial respiration if needed. Get medical attention

immediately.

Skin contact Immediately wash skin with soap and water. If symptoms persist or in all cases of concern, seek

medical advice.

Eye contact Immediately flush eyes with plenty of water for at least 20 minutes. Remove contact lenses if

present and easy to do. Continue rinsing. If symptoms persist or in all cases of concern, seek

medical advice.

Ingestion Treat symptomatically. Never give anything by mouth to a person who is unconscious or is

having convulsions. Do NOT induce vomiting unless directed by physician. If symptoms persist

or in all cases of concern, seek medical advice.

Most important symptoms/effects, acute and delayed

Direct skin contact may cause slight or mild transient irritation. Symptoms may include redness, edema, drying, and cracking of the skin. Direct eye contact may cause slight or mild transient irritation. Symptoms may include stinging and tearing. Inhalation of dust can cause respiratory irritation. Symptoms may include coughing and breathing difficulties. Ingestion may cause

gastrointestinal irritation, nausea, vomiting, and diarrhea.

Provide general supportive measures and treat symptomatically.

Indication of immediate medical attention and special treatment needed

General information

Ensure medical personnel are aware of the material(s) involved and take precautions to protect

themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide.

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Special protective equipment and precautions

for firefighters

Fire-fighting

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Firefighters should wear full protective gear. Evacuate the area promptly. Fight fire from upwind to avoid exposure to combustion products. Cool containers/tanks with water spray. Do not get equipment/instructions water inside container. Move containers from fire area if you can do it without risk. Prevent fire-

extinguishing water from contaminating surface water or the ground water system.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted

Hazardous combustion

products

Phosphorous oxides. Sodium oxides. Other irritating fumes and smoke.

6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during cleanup. Do not breathe dust. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protective equipment, refer to section 8 of the SDS.

Methods and materials for containment and cleaning up

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Sweep up or vacuum up spillage and collect in suitable container for later disposal.

Never return spills to original containers for reuse. For waste disposal, refer to section 13 of the SDS. Contaminated absorbent material may pose the same hazards as the spilled product. In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

Environmental precautions

Avoid discharge into drains, water courses, or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not breathe dust. Avoid dust formation. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. For personal protective equipment, refer to section 8 of the SDS. Keep away from incompatibles. Observe good industrial hygiene practices. Label containers appropriately.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store in a cool, dry place out of direct sunlight. Store away from incompatible materials (refer to section 10 of the SDS). Protect against physical damage. Use care in handling/storage.

8. Exposure controls/personal protection

Occupational exposure limits

No exposure limits noted for the ingredient(s)

Biological limit values

No biological exposure limits noted for the ingredient(s)

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles) and a face shield. Provide an emergency eyewash fountain and quick-drench shower in the immediate work area.

Skin protection

Hand protection

Wear appropriate chemical-resistant gloves. Advice should be sought from glove suppliers.

Other

Wear appropriate chemical-resistant clothing.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to fumes at levels exceeding the exposure limits.

Advice should be sought from respiratory protection suppliers. When necessary, wear appropriate thermal protective clothing.

Thermal hazards

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and/or smoking. Routinely wash work clothing and protective

equipment to remove contamination. Avoid breathing dust.

9. Physical and chemical properties

Appearance

Physical state Solid **Form** Powder Off-white Color Odor Odorless Odor threshold Not available Ηq Not applicable Melting point/freezing point Not available Initial boiling point and boiling Not applicable range

Material name: DPD Powder; R-0870

Flash point Not applicable (does not burn)

Evaporation rate Not applicable Flammability (solid, gas) Not applicable

Upper/lower flammability or

explosive limits

Flammability limit, Not applicable

lower (%)

Flammability limit, Not applicable

upper (%)

Explosive limit, Not applicable

lower (%)

Explosive limit, Not applicable

upper (%)

Vapor pressureNot applicableVapor densityNot applicableRelative density1.60 g/cm³

Solubility(ies)

Solubility (water) >95%

Partition coefficient Not available

(n-octanol/water)

Auto-ignition temperatureNot applicableDecomposition temperatureNot availableViscosityNot applicable

Other information

Explosive properties

Oxidizing properties

Percent volatile

Specific gravity

Not applicable

Not applicable

1.60 g/cm³

10. Stability and reactivity

Reactivity This product is stable and nonreactive under normal conditions of use, storage, and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use

Conditions to avoid Contact with incompatible materials. Do not use in areas without adequate ventilation.

Incompatible materials Oxidizing agents. Strong acids. Strong bases.

Hazardous decomposition

products

None known. For hazardous combustion products, refer to section 5 of the SDS.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system

Skin contact May cause slight or mild irritation

Eye contact May cause irritation

Ingestion May cause irritation of the gastrointestinal tract

Most important

symptoms/effects, acute

and delayed

Direct skin contact may cause slight or mild transient irritation. Symptoms may include redness, edema, drying, and cracking of the skin. Direct eye contact may cause slight or mild transient irritation. Symptoms may include stinging and tearing. Inhalation of dust can cause respiratory irritation. Symptoms may include coughing and breathing difficulties. Ingestion may cause

gastrointestinal irritation, nausea, vomiting, and diarrhea.

Acute toxicity Harmful if inhaled

The product data below contains the calculated ATE values for this mixture as well as individual

component data.

Components **Species Test Results** Disodium dihydrate EDTA (CAS 6381-92-6) Acute Dermal LD50 Rabbit Not available Inhalation Rat Not available LC_{50} Oral LD_{50} Rat 2000 mg/kg Disodium phosphate (CAS 7558-79-4) Acute Dermal LD50 Rat >2000 mg/kg (no deaths observed) Inhalation LC_{50} Rat Not available Oral LD_{50} Rat >2000 mg/kg (no deaths observed) N,N-diethylbenzene-1,4-diammonium sulfate (CAS 6283-63-2) Acute Dermal LD_{50} Rabbit Not available Inhalation Rat Not available LC_{50} Oral LD_{50} Rat 450 mg/kg Potassium phosphate, monobasic (CAS 7778-77-0) Acute Dermal LD_{50} Rat >2000 mg/kg Inhalation LC₅₀ Rat >0.83 mg/L, 4 hours Oral LD₅₀ Rat >2000 mg/kg Trade secret Acute Dermal LD_{50} Rabbit Not available Inhalation LC50 Rat Not available Oral LD_{50} Rat >2000 mg/kg Skin corrosion/irritation May cause slight or mild irritation Serious eye damage/eye May cause irritation

irritation

Respiratory sensitization Not expected to be a respiratory sensitizer Skin sensitization Not expected to be a skin sensitizer Germ cell mutagenicity Not expected to be mutagenic

Carcinogenicity This product is not considered to be a carcinogen by IARC, NTP, OSHA, or U.S. ACGIH.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096)

Not regulated

Reproductive toxicity This product is not expected to cause reproductive or developmental effects. Specific target organ toxicity,

single exposure

Not classified as a specific target organ toxicity – single exposure

Specific target organ toxicity,

repeated exposure

Not classified as a specific target organ toxicity – repeated exposure

Aspiration toxicity

Not expected to be an aspiration hazard

Chronic effects

Not expected to cause chronic effects

12. Ecological information

Ecotoxicity

This product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
Disodium phosphate	e (CAS 7558-79-4) -	- Aquatic	
Aquatic			
Acute			
Algae	EC ₅₀	Green algae (Desmodesmus subspicatus)	>100 mg/L, 72 hours
Crustacea	EC ₅₀	Water flea (Daphnia magna)	>100 mg/L, 48 hours
Fish	LC ₅₀	Rainbow trout, Donaldson trout (Oncorhynchus mykiss)	>100 mg/L, 96 hours
Chronic			
Algae	NOEC	Green algae (Desmodesmus subspicatus)	>100 mg/L, 72 hours
Trade secret			
Aquatic			
Acute			
Crustacea	EC ₅₀	Water flea (Daphnia magna)	85 mg/L, 48 hours
Fish	EC ₅₀	Ide, silver or golden orfe (Leuciscus	idus) 440-760 mg/L, 96 hours

Persistence and degradability

Not available

Bioaccumulative potential

Bioconcentration factor (BCF)
Trade secret

Trade secret 3.2

Mobility in soil High water solubility indicates a high mobility in soil.

Other adverse effects

No other adverse environmental effects (e.g., ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer, and the waste

disposal company.

Waste from residues/unused

products

Empty containers or liners may retain some product residues. This material and its container

must be disposed of in a safe manner (refer to Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste-handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container

is emptied.

14. Transportation information

DOT

Not regulated as dangerous goods

IATA

Not regulated as dangerous goods

IMDG

Not regulated as dangerous goods

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard,

29 CFR 1910.1200.

One or more components are not listed on the US EPA TSCA Inventory list.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated

CERCLA Hazardous Substance list (40 CFR 302.4)

Disodium phosphate (CAS 7558-79-4)

SARA 304 Emergency release notification

Not regulated

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1096)

Not regulated

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate hazard — yes

Delayed hazard — no Fire hazard — no Pressure hazard — no Reactivity hazard — no

SARA 302 Extremely hazardous substance

Not regulated

SARA 311/312 Hazardous Chemical

Not regulated

SARA 313 (TRI reporting)

Not regulated

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) list

Not regulated

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated

Safe Drinking Water Act (SDWA)

Not regulated

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not regulated

US. Massachusetts RTK - Substance List

Disodium phosphate (CAS 7558-79-4)

US. New Jersey Worker and Community Right-to-Know Act

Disodium phosphate (CAS 7558-79-4)

US. Pennsylvania Worker and Community Right-to-Know Law

Disodium phosphate (CAS 7558-79-4)

US. Rhode Island RTK

Disodium phosphate (CAS 7558-79-4)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International inventories

Country(ies) or region	Inventory name	On inventory
		(yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	yes
Canada	Domestic Substances List (DSL)	no
Canada	Non-Domestic Substances List (NDSL)	no

Country(ies) or region	Inventory name	On inventory (yes/no)*
China	Inventory of Existing Chemical Substances Produced or Imported in China (IECSC)	yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	no
Europe	European List of Notified Chemical Substances (ELINCS)	no
Japan	Existing and New Chemical Substances (ENCS)	yes
Korea	Existing Chemicals List (ECL)	no
New Zealand	New Zealand Inventory of Chemicals (NZIoC)	yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA)	no

^{*}A "yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(ies).

A "no" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(ies).

16. Other information, including date of preparation or last revision

List of abbreviations

ACGIH: American Conference of Governmental Industrial Hygienists

AICS: Australian Inventory of Chemical Substances

CAA: Clean Air Act

CAS: Chemical Abstract Services

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act

CFR: Code of Federal Regulations
CSA: Canadian Standards Association
DEA: Drug Enforcement Agency
DOT: Department of Transportation
DSL: Domestic Substances List
EC: effective concentration
ECL: Existing Chemicals List

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

ENCS: Existing and New Chemical Substances

EPA: Environmental Protection Agency

HAP: hazardous air pollutants

HMIS: Hazardous Materials Identification System

HNOC: hazards not otherwise classified

HPA: Hazardous Products Act

HSDB: Hazardous Substances Data Bank

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk

ICAO: International Civil Aviation Organization

IECSC: Inventory of Existing Chemical Substances Produced or Imported in China

IMDG: International Maritime Dangerous Goods

IUCLID: International Uniform Chemical Information Database

LC: lethal concentration

LD: lethal dose

MARPOL: marine pollution

MSHA: Mine Safety and Health Administration

NDSL: Non-Domestic Substances List NFPA: National Fire Protection Association

NIOSH: National Institute of Occupational Safety and Health

NOEC: no observable effect concentration

NTP: National Toxicology Program

NZIoC: New Zealand Inventory of Chemicals

OECD: Organisation for Economic Co-operation and Development

OEL: occupational exposure limits

OSHA: Occupational Safety and Health Administration

PEL: permissible exposure limits

PICCS: Philippine Inventory of Chemicals and Chemical Substances

PPE: personal protective equipment

RCRA: Resource Conservation and Recovery Act

RQ: reportable quantity

RTECS: Registry of Toxic Effects of Chemical Substances

RTK: right to know

SARA: Superfund Amendments and Reauthorization Act

SDS: Safety Data Sheet

SDWA: Safe Drinking Water Act STEL: short-term exposure limit TLV: threshold limit values

TSCA: Toxic Substances Control Act

TWA: time-weighted average VOC: volatile organic compounds WEL: workplace exposure limit

Disclaimer

The information in the Safety Data Sheet is offered for your consideration and guidance for safe handling, use, storage, transportation, disposal, and release of this product and is not considered a warranty or quality specification. Taylor Technologies, Inc., disclaims all expressed or implied warranties and assumes no responsibility for the accuracy of completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

License granted to make unlimited paper copies for internal use only. This Safety Data Sheet may not be changed, or altered, in any way without the expressed knowledge and permission of Taylor Technologies, Inc. The information contained in this sheet is based on lab experience and

the most current data available.

May 2015 Issue date Last revision May 2015